

Updateanleitung für das xt_dfeault Template von VEYTON Version 4.13 auf 4.14 von install24.com

Die Anleitung ist ohne Gewähr auf Richtigkeit und Vollständigkeit. Die Änderungen führen Sie auf eigene Verantwortung durch.

Mache Sie vorher ein Backup Ihres Templates. Die Änderungen beziehen sich auf das Default Template, dies kann sich erheblich von Ihrem eingesetzten Template unterscheiden.

Die Anleitung darf nicht weiter gegeben werden oder wo anders zum Download bereit gestellt werden.

folgende Dateien sind zu ändern:

xtCore/boxes/box_cart.html

Suche:

```
{ $cart_total_weight } KG{/if}
```

Ändern in:

```
{ $cart_total_weight|number_format:2:"," "." } KG{/if}
```

xtCore/forms/shipping.html

Suchen:

```
<td>{form type=select name=shipping_destination value=$country_data default=$smarty.const._STORE_COUNTRY}</td>
```

Ändern in:

```
<td>
{if $sel_country}
{form type=select name=shipping_destination value=$country_data default=$sel_country}
{else}
{form type=select name=shipping_destination value=$country_data default=$smarty.const._STORE_COUNTRY}
{/if}
</td>
```

Suchen:

```
{foreach name=aussen item=shipping_values from=$shipping_data}
```

Ändern in:

```
{foreach item=shipping_values from=$shipping_data}
```

Suchen:

```
<td class="left">{txt key=TEXT_RANGE_FROM}</td>
<td class="left">{txt key=TEXT_RANGE_TO}</td>
```

Ändern in:

```
<td class="left">{txt key=TEXT_RANGE_STAFFEL}</td>
```

Suchen:

```
{foreach name=aussen item=costs from=$shipping_values.costs}
<tr class="{cycle values='contentrow1,contentrow2'}">
<td class="left">{$costs.shipping_type_value_from}
```

Ändern in:

```
{foreach name=shipping item=costs from=$shipping_values.costs}
<tr class="{cycle values='contentrow1,contentrow2'}">
<td class="left">
{if $costs.shipping_type_value_from neq '0'}
{txt key=TEXT_RANGE_FROM}
{$costs.shipping_type_value_from}
{/if}
{txt key=TEXT_RANGE_TO}
{$costs.shipping_type_value_to}
```

Suchen:

```
<td class="left">{$costs.shipping_type_value_to}
```

Ändern in:

```
<td class="right">{$costs.shipping_price}</td>
</tr>
{if $smarty.foreach.shipping.last eq true}
<tr class="contentrow1">
<td class="left">
{txt key=TEXT_RANGE_FROM}
{$costs.shipping_type_value_to}
```

Suchen:

```
<td class="right">{$costs.shipping_price}</td>
</tr>
```

Ändern in:

```
<td class="right">{txt key=TEXT_INFO_NO_SHIPPING}</td>
</tr>
{/if}
```

xtCore/pages/categorie_listing.html

Suchen:

```
<p>{foreach name=aussen item=module_data from=$categorie_listing}
<a href="{ $module_data.categories_link }">{$module_data.categories_name}</a>,
{/foreach}</p>
```

Ändern in:

```
{php}$i=0;{/php}
<div id="cat_listing">
{foreach item=module_data from=$categorie_listing}
{php}$i++;if ($i % 2 == 0){/php} <div class="s_cat odd">
{php}}else{/php}
<hr class="spacer" />
<div class="s_cat even">
{php}}{/php}
<div class="img_wrap">
<a href="{ $module_data.categories_link }" title="{ $module_data.categories_name }">
{img img=$module_data.categories_image type=m_category_thumb
```

```
class=productImageBorder alt=$module_date.categories_name|escape:"html"}
</a><h2><a href="{ $module_data.categories_link}" title="{ $module_data.categories_name}">
{ $module_data.categories_name}</a></h2>
</div>
</div>
{/foreach}
<div style="clear:both;"></div>
```

xtCore/pages/checkout/subpage_confirmation.html

Suchen:

```
{form type=form name=process action='checkout' method=post conn=SSL}
{form type=hidden name=action value=process}
```

Danach einfügen:

```
{if $smarty.const._STORE_TERMSCOND_CHECK eq 'false'}
{content cont_id=3 is_id='false'}
<p><a href="{ $ _content_3.content_link}" target="_blank">{txt
key=TEXT_TERMSANDCOND_CONFIRMATION}</a> | { $ _content_3.content_popup_link}
</p>
{/if}
```

xtCore/pages/checkout/subpage_payment.html

Suchen:

```
<h1>{txt key=TEXT_CONDITIONS};</h1>
{content cont_id=3 is_id='false'}
<p>{ $ _content_3.content_popup_link}</p>
<div id="checkout_agb">{ $ _content_3.content_body}</div>
<p>{form type=checkbox name=conditions_accepted} <strong>{txt
key=TEXT_ACCEPT_CONDITIONS}</strong></p>
```

Ändern in:

```
{if $smarty.const._STORE_TERMSCOND_CHECK eq 'true'}
<h1>{txt key=TEXT_CONDITIONS};</h1>
{content cont_id=3 is_id='false'}
<p>{ $ _content_3.content_popup_link}</p>
<div id="checkout_agb">{ $ _content_3.content_body}</div>
<p>{form type=checkbox name=conditions_accepted} <strong>{txt
key=TEXT_ACCEPT_CONDITIONS}</strong></p>
{/if}
```

xtCore/pages/checkout/payment_default.html

Suchen:

```
{if $payment_icon}
<td class="header"><strong>{ $payment_icon}</strong></td>
{/if}
```

Ändern in:

```
{if $payment_icon}
<td class="header"><strong>{img img=$payment_icon type=w_media_payment}</strong>
</td>
{/if}
```

xtCore/pages/price/graduated_table.html

Suchen:

```
<td>{txt key=TEXT_SINGLE_PRICE}</td>
```

Danach einfügen:

```
<td>{txt key=TEXT_GRADUATED_SAVING}</td>
```

Suchen:

```
<td>{$prices.PRICE.formated}</td>
```

Danach einfügen:

```
<td>{if $prices.saving gt 0}-{ $prices.saving} %{/if}</td>
```

xtCore/pages/product/product.html

Suchen:

```
{if $products_weight > 0}<p class="taxandshippinginfo">{txt  
key=TEXT_PRODUCTS_WEIGHT}: {$products_weight} KG</p>{/if}
```

Ändern in:

```
{if $products_weight > 0}<p class="taxandshippinginfo">{txt  
key=TEXT_PRODUCTS_WEIGHT}: {$products_weight|number_format:2:"."} KG</p>{/if}
```

Suchen und löschen:

```
{if $products_fsk18=='1'}<div class="hrlightgrey"></div>{/if}
```

Suchen:

```
{form type=hidden name=action value=add_product}  
{form type=hidden name=product value=$products_id}  
<div style="clear:both;"></div>
```

Danach einfügen:

```
{if $products_fsk18=='1'}  
<ul class="info_error">  
<li class="infoError">{txt key=TEXT_PRODUCTS_FSK18_NOTE}</li>  
</ul>  
{/if}
```

xtCore/pages/product_listing/product_listing_v1.html

Suchen:

```
{form type=hidden name=page value='categorie'}  
{form type=hidden name=cat value=$current_category_id}  
{form type=select name=sorting value=$sort_dropdown.options default="  
onchange='this.form.submit();'}
```

Ändern in:

```
{if isset($current_manufacturer_id)}{form type=hidden name=page value='manufacturers'}  
{else} {form type=hidden name=page value='categorie'} {/if}
```

```
{if isset($current_category_id){form type=hidden name=cat value=$current_category_id}{/if}
{if isset($current_manufacturer_id){form type=hidden name=mnf value=
$current_manufacturer_id}{/if}
{form type=select name=sorting value=$sort_dropdown.options default=$sort_default
onchange='this.form.submit();'}
```

xtCore/pages/cart.html

Suchen:

```
{if $cart_total_weight > 0}<br />({txt key=TEXT_PRODUCTS_WEIGHT}: {$cart_total_weight}
KG){/if}
```

Ändern in:

```
{if $cart_total_weight > 0}<br />({txt key=TEXT_PRODUCTS_WEIGHT}:
{$cart_total_weight|number_format:2:"."} KG){/if}
```

xtCore/pages/default.html

Suchen:

```
{page name=xt_startpage_products type=user order_by='p.products_sort'
tpl_type='product_listing'}
```

Ändern in:

```
{page name=xt_startpage_products type=user order_by='p.products_startpage_sort'
tpl_type='product_listing'}
```

xtCore/pages/edit_address.html

Suchen:

```
<td>{form type=text name=suburb value=$suburb}</td>
```

Ändern in:

```
<td>{form type=text name=customers_suburb value=$customers_suburb}</td>
```

xtCore/pages/login.html

Suchen:

```
{if $show_privacy eq 1}
{content cont_id=2 is_id='false'}
```

Danach einfügen:

```
{if $show_privacy_type eq 1}
```

Suchen:

```
<td width="100%"><strong>{txt key=TEXT_PRIVACY_ACCEPT}</strong><br /><a
href="{ $privacy_link}" target="_blank">{txt key=TEXT_PRIVACY_TEXT}</a> { $ _content_
2.content_popup_link}
</td>
</tr>
</table>
```

Danach einfügen:

```

{else}
<table width="100%" cellspacing="0" cellpadding="4">
  <tr>
    <td width="100%"><a href="{\$privacy_link}" target="_blank">{txt
key=TEXT_PRIVACY_TEXT_INFO}</a> {\$_content_2.content_popup_link}
    </td>
  </tr>
</table>
{/if}

```

xtCore/pages/search.html

Suchen:

```

<td width="55%">{form type=select name=cat value=\$cat_data}<br>
  {form type=checkbox name=subkat} {txt key=text_search_subcategories}</td>

```

Ändern in:

```

<td width="55%">{form type=select name=cat default=\$default_cat value=\$cat_data}<br>
  {if \$checked_subcat eq 'checked'}{form type=checkbox name=subkat checked=
\$checked_subcat} {else}{form type=checkbox name=subkat}{/if} {txt
key=text_search_subcategories}</td>

```

Suchen:

```

<td width="55%">{form type=select name=mnf value=\$mnf_data}</td>

```

Ändern in:

```

<td width="55%">{form type=select name=mnf default=\$default_mnf value=\$mnf_data}</td>

```

Suchen:

```

<td width="55%">{form type=checkbox name=sdesc}</td>

```

Ändern in:

```

<td width="55%">{if \$checked_sdesc eq 'checked'}{form type=checkbox name=sdesc
checked=\$checked_sdesc}{else}{form type=checkbox name=sdesc}{/if}</td>

```

Suchen:

```

<td width="55%">{form type=checkbox name=desc}</td>

```

Ändern in:

```

<td width="55%">{if \$checked_desc eq 'checked'}{form type=checkbox name=desc
checked=\$checked_desc}{else}{form type=checkbox name=desc}{/if}</td>

```

index.html

Suchen:

```

{box name=manufacturers}

```

Ändern in:

```

{box name=manufacturers order_by='m.manufacturers_name'}

```

Suchen und löschen:

{box name=xt_trusted_shops type=user}

Copyright by www.install24.com